

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

Paper No.: \_\_\_\_\_

**DATE** : September 21, 2005

**TO SPE OF** : ART UNIT 2851

**SUBJECT** : Request for Certificate of Correction on Patent No.: 6,903,801

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location **7580, Certificates of Correction Branch – South Tower – 9A22**

If response is for an IFW, return to employee (named below) via PUBSCofC Team in **MADRAS**.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Magdalene Talley

Thank You For Your Assistance

Certificates of Correction Branch

**Tel. No. 703-308-9309 ext. 116**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

**Comments:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Alan Mathews

2851

**SPE**

**Art Unit**

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,903,801 B2

DATED : June 7, 2005

INVENTOR(S): Kenichiro MORI

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE:

In item "(57) **ABSTRACT**," delete the current abstract and insert the following therefor:

-- An illumination optical system for illuminating a surface, to be illuminated, with use of light from a light source. The illumination optical system includes a diffractive optical element for forming a desired light intensity distribution upon a predetermined plane, an angular distribution transforming unit for transforming an angular distribution of light incident or to be incident on the diffractive optical element into a desired distribution, the angular distribution transforming unit also being operable to change the desired distribution, a multiple beam producing unit, wherein the predetermined plate is a light entrance surface of the multiple beam producing unit, and a light projecting element for superposing light rays from the multiple beam producing unit one upon another on the surface to be illuminated. --

IN THE DRAWINGS:

In "Sheet 1 of 7," "FIG. 1A," in the top right reference description, "APERTUR" should read -- APERTURE --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

FORM PTO 1050 (REV. 3.82)

PATENT NO. 6,903,801 B2

No. of add'l. copies  
@ 30¢ per page



SEP 06 2005

Approved  
AM  
12-13-05

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,903,801 B2

DATED : June 7, 2005

INVENTOR(S): Kenichiro MORI

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 24, "NO." should read -- No. --.

Line 64, "NO." should read -- No. --.

COLUMN 4:

Line 23, "opitcal" should read -- optical --.

MAILING ADDRESS OF SENDER:

**FITZPATRICK, CELLA, HARPER & SCINTO**

30 Rockefeller Plaza

New York, New York 10112-3801

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

FORM PTO 1050 (REV. 3.82)

PATENT NO. 6,903,801 B2

No. of add'l. copies  
@ 30¢ per page



*Approved  
AM  
12-13-05*